Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	("5440747" "5701494" "5732210" "5764989" "4860195" "6567933" "6336184" "6249881" "6161199" "5745770" "5717851" "5615371" "5533192" "4881228" "0702297").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 13:13
S2	2	("6681280").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/07 14:47
S5	1	("20040088462").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 15:30
S6	22	("4860195" "4881228" "5440747" "5533192" "5615371" "5701494" "5717851" "5732210" "5745770" "5764989" "6161199" "6249881" "6336184" "6567933").PN. OR ("6681280"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 16:16
S7	14678	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 17:27
S8	125729	condition\$4 near2 (instruction or operation)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:32
S9	132	S7 same S8	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 16:19
S10	15	("20030033592" "20030079159" "20030106045" "20030225838" "20040040013" "20040088462" "20040205720" "5732210" "5931956" "6282701" "6480818" "6658649" "6681280" "6836857" "6848097").PN. OR ("6981248").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 16:22

				· · · · · · · · · · · · · · · · · · ·		2007/20/12 12
S11	66	("4819234" "4872167" "5168554" "5301325" "5333280" "5450575" "5504932" "5533192" "5557761" "5564054"	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 12:20
		"5581764" "5594864" "5598560" "5632032" "5652889"				
		"5712996" "5754885" "5768591" "5768592" "5774721"				
		"5787245" "5805892" "5812811" 				
		"5877766" "5887166" "5901315"				
		"5903730" "5913925" "5953530" "5961639" "5966539"				
		"6059840" "6072952" "6101524"				
		"6112293" "6151701" "6151704" "6158045" "6167358").PN. OR ("6480818"). URPN.				
S12	22	("4635193" "4747045" "5249278" "5321828" "5371894"	US-PGPUB; USPAT;	AND	ON	2006/02/07 17:02
		"5479652" "5533192" "5537550" "5572667" "5691920" "5704034").PN. OR ("5889981"). URPN.	USOCR		·	
S14	79	conditional adj S7	US-PGPUB; USPAT;	AND	ON	2006/02/10 09:31
			EPO; DERWENT; IBM_TDB			
S15	174	(S7).TI.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/07 17:28
S16	13	("4775886" "4860195" "5053944" "5165027" "5530804" "5640542" "5664159" "5694589" "5717909" "5983000" "6052801" "RE36766").PN. OR ("6477664").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 10:52
S22	5	(condition\$4 and S17).TI.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:00
S23	80	(condition\$4 and S17).AB.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 10:59
S24	125729	condition\$4 near2 (instruction or operation)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 10:59
S25	73	S17 with S24	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 11:00

S26	49	("4176394" "4179734" "4279016"	US-PGPUB;	AND	ON	2006/02/08 11:53
		"4306287" "4403284" "4409654" "4488227" "4598364" "4709324" "4725947" "4755997" "4783731" "4924382" "5095426" "5197138"	USPAT; USOCR			
		"5237666" "5249278" "5265213" "5319763" "5341500" "5361348" "5367550" "5371894" "5379301" "5386519" "5448705" "5493664" "5530804" "5533192" "5564028").PN. OR ("5740413").URPN.				
S27	4691074	result\$3 or outcome\$1	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 13:44
S28	14678	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 13:45
S29	117	condition\$3 with S27 with S28	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 13:45
S30	5	("4674089" "5047926" "5053949" "5056013" "5132971").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 14:11
S31	18	("4720778" "5450586").PN. OR ("5732210").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 16:12
S33	229	(717/129).CCLS.	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/02/08 17:10
S35	48	S33 @pd<"19991029"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 16:26
S36	12	("4429368" "4635193" "5371894" "5537559" "5560036" "5564028").PN. OR ("5754839"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 16:34
S37	61	("3813531" "3904860" "3937938" "4041471" "4080650" "4114730" "4206503" "4276595" "4293950" "4325121" "4338660" "4493027" "4502116" "4541048" "4554630").PN. OR ("4635193").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 16:38
S39	4723	condition adj code	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 17:10

S40	14678	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/08 17:10
S41	17	S39 with S40	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON .	2006/02/08 17:14
S42	14	(S39 same S40) not S41	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/08 17:14
S43	1166	(712/227-228).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:01
S44	527	(712/244).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 09:01
S52	1031	condition\$4 with S45	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:01
S53	60	condition\$4 with expression with S45	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:01
S54	29	("5375125" "5446900" "5652835" "5845125" "5860009" "5862379" "5910895" "5926176" "5953735" "5970248" "6021488").PN. OR ("6077312"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/09 10:03
S55	3	conditional with breakpoint with hardware	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 10:51
S56	54	condition with breakpoint with hardware	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 11:15
S57	0	Marek adj Gondzio	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 11:26
S58	0	SPAM with debugging-oriented with architecture	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 11:26

S63	12377	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 14:12
S67	554	watchpoint or (data adj (breakpoint or break-point))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:32
S68	12377	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/09 16:32
S69	92	S67 and S68	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:34
S70	146228	((two or S67) adj stage) or two-stage or 2-stage or heirarch\$5	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:36
S71	1	S67 with S70	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:40
S72	1	S67 same S70	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/09 16:40
S73	4	(conditional adj breakpoint) and (breakpoint with address with register)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 09:34
S75	80	(breakpoint adj instruction) and (breakpoint with condition\$2)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 12:20
S76	29	("5440747" "5701494" "5732210" "5764989" "4860195" "6567933" "6336184" "6249881" "6161199" "5745770" "5717851" "5615371" "5533192" "4881228" "0702297").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 13:13
S77	8	S76 and (condition\$2 with breakpoint)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/10 13:13

S78	1657	conditional adj (instruction or operation)	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:33
S79	14689	breakpoint or break-point or (break adj point) or break-interrupt or (break adj interrupt)	US-PGPUB; USPAT; USOCR	AND	ON .	2006/02/10 13:33
S80	21	S79 same S78	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/10 13:33